

Total No. of Questions—8]

[Total No. of Printed Pages—7

Seat No.	
-------------	--

**[5152]-541****S.E. (Electrical & Instru.) (I Sem.) EXAMINATION, 2017****ENGINEERING MATHEMATICS—III****(Common With Instru. & Control)****(2015 PATTERN)****Time : Two Hours****Maximum Marks : 50**

- N.B. :—** (i) Figures to the right indicate full marks.  
(ii) Use of electronic pocket calculator is allowed.  
(iii) Assume suitable data, if necessary.  
(iv) Neat diagrams must be drawn wherever necessary.

1. (a) Solve any *two* : [8]

(i)  $(D^2 + D + 1)y = x \sin x$

(ii)  $(2x + 3)^2 \frac{d^2 y}{dx^2} - 2(2x + 3) \frac{dy}{dx} - 12y = 6x$

(iii)  $(D^2 + 3D + 2)y = \sin e^x$

using method of variation of parameters.

(b) Solve the following differential equation by using Laplace transform : [4]

$$\frac{d^2 y}{dt^2} + 2 \frac{dy}{dt} + y = te^{-t}, y(0) = 1, y'(0) = -2.$$

P.T.O.

*Or*

- 2.** (a) An electric circuit consists of an inductance 0.1 henry a resistance  $R$  of 20 ohms and a condenser of capacitance  $C$  of  $25 \times 10^{-6}$  farads. If the differential equation of electric circuit is :

$$L \frac{d^2q}{dt^2} + R \frac{dq}{dt} + \frac{q}{C} = 0,$$

then find the charge  $q$  and current  $p$  at any time  $t$  given that at  $t = 0$ ,  $q = 0.05$  coulombs,  $i = 0$ . [4]

- (b) Solve any one : [4]

(i) Find  $L \left[ \int_0^t \frac{\sin t}{t} dt \right]$

(ii) Find  $L^{-1} \left[ \frac{3s+1}{(s+1)^4} \right]$

- (c) Evaluate the following integral using Laplace transform : [4]

$$\int_0^{\infty} t e^{-3t} \sin t dt .$$

- 3.** (a) Find inverse sine transform if : [4]

$$F_s(\lambda) = \frac{1}{\lambda} e^{-a\lambda}.$$

(b) Attempt any one : [4]

(i) Find  $z$ -transform of

$$f(k) = \frac{2^k}{k!}, \quad k \geq 0.$$

(ii) Find the inverse  $z$ -transform of :

$$\frac{z(z+1)}{z^2 - 2z + 1}, \quad |z| > 1.$$

(c) Find directional derivative of [4]

$$\phi = xy^2 + yz^3$$

at  $(1, -1, 1)$  along the vector

$$i + 2j + 2k.$$

Or

4. (a) Attempt any one : [4]

(i) Prove that :

$$\bar{b} \times \nabla(\bar{a} \cdot \nabla \log r) = \frac{\bar{b} \times \bar{a}}{r^2} - \frac{2(\bar{a} \cdot \bar{r})(\bar{b} \times \bar{r})}{r^4}.$$

$$(ii) \quad \nabla \times \left( \frac{\bar{a} \times \bar{r}}{r^3} \right) = \frac{-\bar{a}}{r^3} + \frac{3(\bar{a} \cdot \bar{r})\bar{r}}{r^5}.$$

(b) Show that : [4]

$$\bar{F} = (6xy + z^3)\bar{i} + (3x^2 - z)\bar{j} + (3xz^2 - y)\bar{k}$$

is irrotational. Find Scalar  $\phi$  such that  $\bar{F} = \nabla\phi$ .

(c) Obtain  $f(k)$  given that : [4]

$$f(k + 1) + \frac{1}{2}f(k) = \left(\frac{1}{2}\right)^k, \quad k \geq 0, \quad f(0) = 0.$$

**5.** Attempt any *two* :

(a) Verify Green's theorem in plane for [6]

$$\int_C (xy + y^2)dx + x^2dy$$

where C is the boundary of the closed region bounded by  $y = x$  and  $y = x^2$ .

(b) Evaluate : [6]

$$\iint_S (xi + yj + z^2k) \cdot d\bar{S}$$

where S is the curved surface of the cylinder

$$x^2 + y^2 = 4$$

bounded by the planes  $z = 0$  and  $z = 2$ .

(c) Verify Stokes' theorem for

$$\bar{F} = (2x - y)i - yz^2j - y^2zk$$

over the surface of hemisphere

$$x^2 + y^2 + z^2 = 1$$

above the  $xoy$  plane. [7]

Or

6. Attempt any two :

(a) Find the work done in moving a particle from (1, -2, 1) to (3, 1, 4) in a force field [6]

$$\bar{f} = (2xy + z^3)i + x^2j + 3xz^2k$$

(b) Prove that : [6]

$$\iiint_V \frac{1}{r^2} dV = \iint_S \frac{1}{r^2} \bar{r} \cdot d\bar{S}$$

where S is closed surface enclosing the volume V. Hence evaluate :

$$\iint_S \frac{xi + yj + zk}{r^2} \cdot d\bar{S}$$

where S is surface of the sphere

$$x^2 + y^2 + z^2 = a^2.$$

- (c) Verify Stokes' theorem for [7]

$$\bar{F} = y^2i + xyj - xzk$$

where S is the hemisphere :

$$x^2 + y^2 + z^2 = a^2, z \geq 0.$$

7. (a) If  $\phi + i\psi$  is complex potential for an electric field (which is analytic) and

$$\phi = -2xy + \frac{y}{x^2 + y^2},$$

find the function  $\psi$ . [4]

- (b) Evaluate : [5]

$$\oint_C \frac{z+4}{(z+1)^2(z+2)^2} dz,$$

where 'C' is a circle  $|z + 1| = \frac{1}{2}$ .

- (c) Find the bilinear transformation, which maps point 1, 0,  $i$  of  $z$ -plane onto the points  $\infty$ ,  $-2$ ,  $-\frac{1}{2}(1 + i)$  of  $w$ -plane. [4]

Or

8. (a) Show that analytic function with constant amplitude is constant. [4]

(b) Evaluate : [5]

$$\int_{2+4i}^{5-5i} (z+1) dz,$$

along the line joining points  $(2 + 4i)$  and  $(5 - 5i)$ .

(c) Find the image of Hyperbola [4]

$$x^2 - y^2 = 1,$$

under the transformation  $w = \frac{1}{z}$ .

www.sppuonline.com